OFFICE OF THE CONTROLLER OF DEFENCE ACCOUNTS

UDAYAN VIHAR, NARANGI, GUWAHATI-781171

Fax 0361 2640204, 2640810

e-mail: cda-guw@nic.in

No.E/I/TECH/Rent & LF/114/Vol-III

Dated: /04/2018

IMPORTANT CIRCULAR

To

1. All AO GEs 2. All AAO BSO

Subject:

PROJECT BHAWAN: Clarification Regarding.

Reference:

HQ CGDA letter no 18001/AT-X/MISC. /VOL-II dated 03/04/2018

Information or the above subject has been invited by the HQ CGDA New Delhi on up gradation of Project <u>Bhawan</u> which would be hoisted on the internet for perusal by the stakeholders i.e. BSOs, AAOs,BSOs, PAOs, PCsDA/CsDA & CGDA.

In this connection, it is requested to provide the information as embodied in the ibid HQ CGDA letter no cited under reference in consultation with respective BSOs. Copy of HQ CGDA letter no 18001/AT-X/MISC. /VOL-II dated 03/04/2018 is enclosed herewith for better appreciation and ready reference please.

An Early action, latest by 18/04/2018, is requested to enable the developers to finish their job expeditiously and also in order to draw out the desired benefits of the software in revenue realization by the Defence Accounts Department.

Encls (one)

(Dr K. Lalbiakahhunga . IDAS)

Asstt Controller

Copy to

1.The Officer in Charge EDP Section, MO CDA Guwahati With a request to upload the same on the official website of the CDA Guwahati.

Spare

(S.D. Sarkar) Sr Accounts Officer.(E/I)



कार्यालय रक्षा लेखा महानियत्रंक

Controller General of Defence Accounts

उलान बटार रोड, पालम, दिल्ली छावनी Ulan Batar Road, Palam, Delhi Cantt - 110010

Ph No. 011 - 25665577, FAX No. 011- 25674806 (Audit-X)

E-Mail: cgdanewdelhi@nic.in



dated 03.04.2018

18001/AT-X/Misc. (PC)/Vol. II

To

All Regional PCsDA/CsDA

CDA Gunahati

Sub :- Project Bhawan: Clarification regarding.

This is regarding upgradation of Project bhawan which would be hosted on the internet for perusal by the stakeholders (i.e. BSOs; AAOs, BSO; PAOs; PCsDA/CsDA & CGDA).

In this connection, it is requested to provide the following information:

For Civilian/Armed Forces Personnel

- Rate of Electric Charges in the state where the concerned AAO BSO is (i) located;
- Sample calculation for the above
- Whether there is any exemption or different electric/water charges calculation method.

For Private Party

- Is there 'all in cost method' or 'slab system' at AAO BSO station? (i)
- If all in cost method is applicable then is there other charges beside (ii) conservancy/Fixed/Meter etc.)
- Simple calculation is required for both the cases. (iii)

An early action is requested to enable the developers to finish their job expeditiously and also in order to elicit the desired benefits of the the software in revenue realisation by the Defence Accounts Department.

Sr. ACGDA (AT-I) has seen.